

| | | |
|----------------------------------|------------|--------------------------|
| 43 Solutions, LLC - 43 Solutions | Name: | Ultra Salve 1000mg |
| 194 Bodo Dr | Type: | Topical |
| Durango, Colorado 81303 | ID: | 220200426.11565 |
| (970) 708-8847 | Batch ID: | Batch 020122 |
| 405R-00016.3 | METRC Tag: | 1A4000B00012FE9000002907 |

RECEIVED: 02/09/2022

TESTED: 02/10/2022

REPORTED: 02/11/2022

| ANALYTE | LOD | LOQ | MU | AMOUNT | AMOUNT | LABEL | STATUS |
|-------------------------------|--------|-------|---------|--------|-----------|---------|--------|
| | % | % | mg/unit | % | mg/unit | mg/unit | |
| THCa | 0.0075 | 0.015 | 0.000 | <LOD | <LOD | - | TESTED |
| D9-THC | 0.0075 | 0.015 | 0.000 | <LOD | <LOD | - | TESTED |
| D8-THC | 0.0075 | 0.015 | 0.000 | <LOD | <LOD | - | TESTED |
| CBDa | 0.0075 | 0.015 | 0.000 | <LOD | <LOD | - | TESTED |
| CBD | 0.0075 | 0.015 | 104.900 | 1.955 | 1049.0 | 1,000 | PASS |
| CBDVa | 0.0035 | 0.007 | 0.000 | <LOD | <LOD | - | TESTED |
| CBDV | 0.0035 | 0.007 | 1.080 | 0.020 | 10.8 | - | TESTED |
| CBN | 0.0035 | 0.007 | 0.000 | <LOD | <LOD | - | TESTED |
| CBGa | 0.0035 | 0.007 | 0.000 | <LOD | <LOD | - | TESTED |
| CBG | 0.0035 | 0.007 | 3.320 | 0.062 | 33.2 | - | TESTED |
| CBCa | 0.0035 | 0.007 | 0.000 | <LOD | <LOD | - | TESTED |
| CBC | 0.0035 | 0.007 | 7.180 | 0.134 | 71.8 | - | TESTED |
| CBL | 0.0035 | 0.007 | 2.460 | 0.046 | 24.6 | - | TESTED |
| Sum of Measured Cannabinoids* | | | | 2.217 | 1,189.400 | | |



Unit : 2oz (53.66g) | Units Per Package : 1

| Analyte | Total* |
|------------|------------------|
| Total THC | <LOD |
| Total CBD | 1,049.00 mg/unit |
| Total CBG | 33.20 mg/unit |
| Total CBDV | 10.80 mg/unit |

*Total is the sum of the neutral (active) cannabinoid and the completely converted acidic cannabinoid

LOD = Limit of Detection, LOQ = Limit of Quantification, ND = Not Detected, MU = Measurement uncertainty, NR = Not Reported *Sum of measured cannabinoids is the sum of all quantified cannabinoids.

NOTES AND INTERPRETATIONS

Analyzed via AAM-001 using Agilent 1220 HPLC-DAD. Limits are based on CO 6 CCR 1010-21. Sample was analyzed as received. Deviations from SOP: None.

Results Analyzed By:
Tyler Dorsey
Associate Chemist

Results Approved By:
Luke Mason, MS
Lab Director



Aurum Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be modified - Scan QR code to verify authenticity

