



# Certificate of Analysis

Sample: DE31024007-004  
Batch#: 030124  
Seed to Sale# 1A4000B00010D25000003837  
Sample Size Received: 1 units  
Total Amount: 30 units  
Retail Product Size: 30 ml  
Sample Density: 0.90 g/mL  
Ordered: 10/20/23  
Sampled: 10/24/23  
Completed: 10/25/23  
Revision Date: 11/13/23

**PASSED**

Nov 13, 2023 | 43 Solutions, LLC - 43 CBD

License # 405R-00011


PO Box 1771  
Durango, CO, 81302, US



Pages 1 of 2

PRODUCT IMAGE	SAFETY RESULTS									MISC.
										
	Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Homogeneity Testing NOT TESTED	Terpenes NOT TESTED

## Cannabinoid PASSED



Analyzed by: 2813, 3200, 666, 2080      Weight: 0.5486g      Extraction date: 10/24/23 14:56:51      Extracted by: 2813, 3200

Analysis Method : SOP.T.40.039.CO      Analytical Batch : DE006611POT      Instrument Used : Agilent 1100 "Liger"      Analyzed Date : 10/24/23 17:53:31  
Reviewed On : 10/25/23 15:42:25      Batch Date : 10/24/23 11:05:28

Dilution : 80  
Reagent : 101623.R02; 102223.R19; 100923.R11; 102423.R06  
Consumables : 2210521482; 2014919; 9291.100; 0000179471; 303122060; 121621CH01; 923C4-923AK; 61892-307C6-307E  
Pipette : P1000- 22C52450; POT- 20E73244; POT- 20E74976; POT- 20K63477; P200- 6507768

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with DAD detection (HPLC-UV). Method SOP.T.90.010.CO for reporting. Lower limit of linearity for all cannabinoids is 1 mg/L.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

**Stephen Goldman**  
Lab Director  
State License # 405R-00011  
405-00008  
ISO 17025 Accreditation # 4331.01

  
Signature  
10/25/23

Revision: #1 - updated batch number from client written request



879 Federal Blvd  
Denver, CO, 80204, US  
(303) 427-2379

Kaycha Labs

25mg Capsule

N/A

Matrix : Infused

Type: Capsule



# Certificate of Analysis

**PASSED**

43 Solutions, LLC - 43 CBD

PO Box 1771  
Durango, CO, 81302, US  
Telephone: 9707088847  
Email: Greg@43cbd.com  
License # : 405R-00011

Sample : DE31024007-004

Batch# : 030124  
Sampled : 10/24/23  
Ordered : 10/24/23

Sample Size Received : 1 units  
Total Amount : 30 units  
Completed : 10/25/23 Expires: 11/13/24  
Sample Method : SOP Client Method

Page 2 of 2

## COMMENTS

\* Cannabinoid DE31024007-004POT

1 - Measurement Uncertainty for delta-9 THC (wt%, Infused) 95% interval : 0.07, Measurement Uncertainty for THCA (wt%, Infused) 95% interval : 0.05

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is a Kaycha Labs certification. The results relate only to the material received or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid or contaminant content of batch material may vary depending on sampling error. ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds. The Measurement Uncertainty (UM) error is available from the lab upon request.

**Stephen Goldman**  
Lab Director

State License # 405R-00011  
405-00008  
ISO 17025 Accreditation # 4331.01

Signature  
10/25/23

Revision: #1 - updated batch number from client written request

Revision: #1 This revision supersedes any and all previous versions of this document.